

Digital Colour Production has evolved.

HIGH VOLUME DIGITAL COLOUR PRODUCTION

imagePRESS C7010VP
imagePRESS C6010VP

you can

Building on the incredible reputation of their predecessors, the **imagePRESS C7010VP** and **imagePRESS C6010VP** take digital colour production to new heights. Even higher print quality, outstanding finishing capabilities and amazing production capacities herald an evolution in both production and profit opportunities.

61 – 71
PPM COLOUR

EXCEPTIONAL
PRINT QUALITY

10,000
SHEET CAPACITY

V-TONER
TECHNOLOGY

ADVANCED
IN-LINE
FINISHING

MODULAR
DESIGN



Even higher quality

- Vivid colours and outstanding pin-sharp images that look and feel like offset production.
- Canon's V-toner with its ultra-fine particle size and oil-less fusing characteristics combine with enhanced image control technologies to provide gloss optimisation for an optimal finish on all media.
- 1200 dpi printing with 256 graduations ensures the sharpest lines and text.
- Advanced image control (ARCDAT) and colour toner density stabilizing technology ensure colour consistency helping to gain customer loyalty and repeat orders.

Higher speeds

- Production speeds of 71 ipm (A4) are achieved across all media types and heavier weights up to 325 gsm for even faster job turnarounds.*
- Higher speeds on SRA3 – crucial for Graphic Arts market.

Maximum Productivity

- Improved productivity on mixed sized and sided print applications such as reports, manuals and brochures.
- Huge 10,000 sheet feeding capacity with up to 8 different sources (60 to 325 gsm) offers at least 8 hours continual run time.
- Extensive in-line finishing capabilities including brochures, perfect bound booklets and reports.

High precision printing

- Intelligent Registration Technology minimises mis-registration for the highest quality documents.
- Advanced Air Feeding Technology for exceptional reliability and maximum uptime.

Innovation

- Tandem fusing technology allows the device to maintain full speeds irrespective of media weights.
- Advanced Image Transfer Belt allows belt to flexibly adjust to media type for improved print quality.

* imagePRESS C6010VP delivers 61 ipm

 **imagePRESS**

Canon

Specifications: imagePRESS C7010VP / C6010VP

BASIC SPECIFICATIONS	Console 1200dpi x 1200dpi, 256 gradations A4 60 to 325 71.6 A3 60 to 209 38.5 210 to 325 36.0 SRA3 60 to 209 36.2 210 to 325 33.6 13"x19" 60 to 209 33.6 210 to 325 31.3 IPR C6010VP Weight (gsm) Simplex (ppm) A4 60 to 325 61.7 A3 60 to 209 33.0 210 to 325 30.8 SRA3 60 to 209 31.0 210 to 325 28.8 13"x19" 60 to 209 28.8 210 to 325 26.8 Registration tolerance +/- 0.5mm Paper Sizes ASR*, A4, A4R, A3, SRA3 (320 x 450mm), 13" x 19" (330.2 x 482.6mm) Free size 182 x 182mm to 330.2 x 487.7mm *Stack bypass (Optional) is required. Paper weight 60 to 325 gsm Paper capacity Standard deck: 1,000 sheets x2 drawer (80 gsm) Total paper feeding capacity 10,000 sheets max Total paper finishing capacity 17,000 sheets max Memory 1.5GB Hard Disk Drive 80GB x 2 Display 10.4" TFT touchscreen Interface Ethernet (100Base-TX/10Base-T), USB2.0 Network Protocols TCP/IP* (LPD/Port9100/WSD/IPPP/SMB/FTP), IPX/SPX(NDS, Bindery), AppleTalk *IPv4/IPv6 support Power Supply 400V (3-phase 5-wires), 32A Power Consumption 8.5kW max. (7010VP/6010VP) Dimensions (W x D x H) 2,586 x 1,152 x 1,040mm (excluding upright panel) Weight 1,200kg (including Color Image Reader)	
PRINT SPECIFICATIONS	imagePRESS Server A3200/A2200 1200dpi x 1200dpi (Text only), 600dpi x 600dpi A3200: 4GB A2200: 3GB Hard Disk A3200: 250GB x 1, 500GB x 2 A2200: 500GB (250GB x 2) CPU A3200: Quad Core Xeon X5560 2.8GHz, 6.40GT/s QPI X 2 packages A2200: Core 2 Quad Q9550, 2.83 GHz, 1333MHz FSB, 12MB Cache Network Protocol TCP/IP (LPD/Port9100/IPPP/SMB/FTP)*, ATP/DDP(AppleTalk)	
	imagePRESS CR Server A7000 1200dpi x 1200dpi (Text, Line only), 600dpi x 600dpi, A7000: 2GB Memory A7000: 250GB x 1, 250GB x 3 Hard Disk A7000: Core 2 Q9400 Quad 2.66GHz* CPU	
DOCUMENT FEEDER SPECIFICATIONS	Color Image Reader-H1 A5, A5R, A4, A4R, A3 600 dpi x 600 dpi 732 x 595 x 105mm Weight 17.5kg	
	DADF-R1 A5, A4, A4R, A3, Free sizes (182 x 139.7 to 297 x 432mm) Paper weight A4, A5: 50 to 216 gsm (Single-sided /double-sided) A3, A4R: 50 to 216 gsm (Single-sided), 50 to 200 gsm (Double-sided) Max. Number of originals 100 sheets (80 gsm) Document Scanning speed Copy (Single side): A4 50ipm 600dpi (B&W, Color) Scan (Single side): A4 80 ipm 300dpi (B&W, Color) Copy (Double side): A4 30 ipm 600dpi (B&W, Color) Scan (Double side): A4 40 ipm 300dpi (B&W, Color) Dimensions (W x D x H) 646 x 570 x 143mm Weight 22kg	

PAPER SUPPLY SPECIFICATIONS	Pod Deck-A1 / Secondary Pod Deck-A1 A4, A4R, A3, SRA3 (320 x 450mm), 13"x19" (330.2 x 482.6mm) Free size 182 x 182mm to 330.2 x 487.7mm 60 to 325 gsm Paper Weight Thin, Plain, Heavy, Recycled, Colour, Pre-punched, Paper Type Bond Paper, Labels, Transparency, Tab Paper, Coated, Texture Paper, Vellum Paper Capacity 4,000 sheets (80 gsm): 1,000 sheet x 2 drawer, 2,000 sheet x 1 drawer Double feeding detection and Escape tray Yes (primary POD deck) Dimensions (W x D x H) POD Deck-A1 982 mm x 792 mm x 1,095mm POD Deck-A1 + Secondary POD Deck-A1 1,793 mm x 792 mm x 1,095mm Weight POD Deck-A1: Approx. 250kg POD Deck-A1 + Secondary POD Deck-A1: Approx. 480 kg Power POD Deck-A1: 240V, 6A Secondary POD Deck-A1: 240V, 2.8A	
	Paper Deck-AC1 A4, A4R, A3, SRA3 (320 x 450mm), 13"x19" (330 x 483mm) 64 to 300 gsm Paper Weight Thin, Plain, Heavy, Recycled, Color, Pre-punched, Paper Type Bond Paper, Transparency, Labels, Coated, Texture Paper, Vellum Paper Capacity 3,500 sheets (80 gsm) Dimensions (W x D x H) 601 x 621 x 570 mm Weight Approx. 51 kg	
	Stack Bypass-A1 ASR, A4, A4R, A3, SRA3 (320 x 450mm), 13"x19" (330.2 x 482.6mm) Free size 139.7 x 182mm to 330.2 x 487.7mm 64 to 256 gsm Paper Weight Thin, Plain, Heavy, Recycled, Color, Pre-punched, Paper Type Bond Paper, Transparency, Labels, Tab Paper, Coated, Texture Paper, Vellum Paper Capacity 100 sheets (80 gsm)	
OUTPUT SPECIFICATIONS	High Capacity Stacker-C1 (Up to 2 stacker can connect) Stack Tray: A4, A4, SRA3, 13"x19", Tab Paper (A4), Free size (216 x 182mm to 330.2 x 487.7mm) Output tray: ASR, A4, A4R, A3, SRA3, 13x19", Tab Paper (A4), Free size (139.7 x 182mm to 330.2 x 487.7mm) Stack Tray: 64 to 300 gsm Output tray: 60 to 325 gsm Stack Tray: 5,000 sheets (80 gsm) Output tray: 1,000 sheets (80 gsm) 860 x 765 x 1,240mm Approx. 217kg 240V, 4A	
	Finisher-A1 / Saddle Finisher-AJ2 2 trays Tray A: A4/A4R/ASR 3,000 sheets, A3 1,500 sheets, SRA3/13"x19" 1,000 sheets Tray B: A4/A4R 2,000 sheets, A3 1,000 sheets Tray A: A3/A4/A4R 1,000 sheets /100 sets Tray B: A4/A4R 2,000 sheets/100 sets, A3 1,000 sheets/100 sets Corner, Double. Booklet Stitch (Saddle Finisher-AJ2 only) A4: 100 sheets, A3/A4R: 50 sheets A3, A4R, SRA3, 13"x19", Free size 210 x 279.4mm to 330.2 x 487.7mm* Inner pages: 60 to 220 gsm Cover: 64 to 300 gsm 2-25 sheets (80 gsm) 30 sets (80 gsm/ 5 sheet) 800 x 792 x 1,180mm Finisher-AJ1: Approx. 126kg Saddle Finisher-AJ2: Approx. 180kg 240V, 8A	
	Punch Unit-BC1/BD1 (requires either the Saddle Finisher-AJ2 or Finisher-AJ1) BC1: 2 holes and 4 holes (FRN) selectable BD1: 4 holes (Swe) 60-200gsm 2 holes: A3, A4, 4 holes: A3, A4 6.5mm	

Finisher Name	Document Insertion Unit-C1 2 trays Upper Tray: A4, A4R, Free size (182 x 182mm to 297 x 330.2mm) Lower Tray: A4, A4R, A3, SRA3, 13"x19", Free size (182 x 182mm to 330.2 x 487.7mm) 60 to 300 gsm 200 sheets x 2 tray (80 gsm) 625 x 667 x 213 mm Approx. 17kg	
Finisher Name	Booklet Trimmer-D1 (requires Saddle Finisher-AJ2) One Edge Trimming (Fore-edge) 2-20mm Trim Width Up to 50 sheets (includes Cover) Trim Thickness 30 sets (80 gsm/ 5 sheet) Acceptable Paper Weight 60 to 300 gsm Dimensions (W x D x H) 1575 x 770 x 1,040mm Weight Approx. 152kg	
Finisher Name	Two-Knife Booklet Trimmer-A1 (requires Booklet Trimmer) Top and Bottom Edge trim 2-15mm Trim Width Up to 50 sheets (includes Cover) Trim Thickness 30 sets (80 gsm/ 5 sheet) Acceptable Paper Weight 60 to 300 gsm Dimensions (W x D x H) 536 x 770 x 1,040mm Weight Approx. 145kg Power 240V, 2.3A	
Finisher Name	Perfect Binder-B1 (requires Document Insertion Unit-C1) Booklet size Width: 203 to 297mm, Length: 138 to 216mm Booklet thickness Up to 25mm Cutting Range Top/bottom: 13 to 79mm, foreedge: 6.5 to 49.5mm Body pages Number of Sheets: 10 to 200 sheets (80 gsm) Sizes: A4, SRA4, Free size (Width: 257 to 320mm, Length: 182 to 228.6mm) Paper weight 60 to 163 gsm* *106 to 163 gsm: up to 10 sheets as inserted paper Cover Number of Sheets: 1 sheet Sizes: A3, SRA3, Free size (Width: 257 to 330.2mm, Length: 364.0 to 487.7mm) Paper weight: 90 to 300 gsm Tray capacity Approx. 127mm or total approx. 1,000 sheets of paper as a total Dimensions 922 x 791 x 1,360mm Weight Approx. 316kg Power 240V, 2.6A	
Finisher Name	Professional Puncher-B1 External In-line Punch Unit Acceptable Punch Paper Weight 75-216 gsm (Plain paper), Pro Click: 75-176 gsm (Plain paper) Acceptable Punch Paper Size A4 Punch Tools Plastic Comb 21-Hole, Twin Loop 23-Hole(Round), Twin Loop 34-Hole(Round), Color Coil 47-Hole, Velo Bind 12-Hole, Loose Leaf 4-Hole Punch, Loose Leaf 2-Hole Punch, Loose Leaf 4-Hole(Swedish), Pro Click 34-Hole Dimension 305 x 792 x 1,040 mm Weight Approx. 80kg	
Finisher Name:	Professional Puncher Integration Unit-A1 Mandatory for Professional Puncher-B1 250 x 792 x 1,040 mm 40kg 240V, 3.1A	

Canon Inc.
www.canon.com

Canon Europa N.V.
www.canon-europe.com

English-UK Edition 00000
© Canon Europa NV 2010

